

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12735	quer\$4 near data\$base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:21
L2	11	quer\$4 near data\$base and data with space with sub\$space	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:22
L3	0	quer\$4 near data\$base and data with space with sub\$space and quer\$4 with attribute with (conditional and display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:22
L4	0	quer\$4 near data\$base and data with space with sub\$space and quer\$4 same attribute with (conditional and display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:22
L5	0	quer\$4 near data\$base and data with space with sub\$space and attribute with (conditional and display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:23
L6	0	quer\$4 near data\$base and data\$base with sub\$space and attribute with (conditional and display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:23
L7	0	quer\$4 near data\$base and sub\$space and attribute with (conditional and display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:23
L9	27	quer\$4 near data\$base and attribute with (conditional and display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:24
L10	157	quer\$4 near data\$base and attribute with (condition\$4 and display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:24
L11	0	quer\$4 near data\$base with attribute with (condition\$4 and display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:24
L12	3	quer\$4 near data\$base same attribute with (condition\$4 and display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:27
L13	25	quer\$4 near data\$base and query same attribute with (condition\$4 and display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:27

L14	18	quer\$4 near data\$base and query same attribute with (condition\$4 and display) not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:28
L15	18	14 not 12	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:28
L16	6	quer\$4 near data\$base and query same attribute near2 (condition\$4 and display) not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:47
L17	0	quer\$4 near data\$base and query same attribute near2 (condition\$4 and display) and sub\$space not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:29
L18	2	quer\$4 near data\$base and query same attribute near2 (condition\$4 and display) and sql not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:36
L19	38	quer\$4 near data\$base and query same attribute same (condition\$4 and display) not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:38
L20	9	quer\$4 near data\$base and query with attribute with (condition\$4 and display) not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:40
L21	27	quer\$4 near data\$base and query with attribute and attribute with (condition\$4 and display) and (sql "structured query language") not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:40
L22	14	21 not 15	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:42
L23	0	21 not 15 and sub\$space	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:42
L24	3	21 not 15 and space with (data\$base)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:42
L25	2	quer\$4 near data\$base and query same attribute near2 (condition\$4 and display) and data with space not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:47

L26	2	quer\$4 near (data\$store data\$space data\$base) and query same attribute near2 (condition\$4 and display) and data with space not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:48
L27	0	quer\$4 near (data\$store data\$space data\$base) same attribute near2 (condition\$4 and display) and data with space not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:49
L28	2	quer\$4 near (data\$store data\$space data\$base) and quer\$4 with attribute near2 (condition\$4 and display) and data with space not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:49
L29	5	quer\$4 near (data\$store data\$space data\$base) and quer\$4 with attribute near2 (condition\$4 and display) not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:06
L30	7	quer\$4 near3 (data\$store data\$space data\$base) and quer\$4 with attribute near2 (condition\$4 and display) not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:26
L32	21	data\$base with (quer\$4 search\$4) and sub\$space with data\$base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 12:59
L33	11	data\$base with (quer\$4 search\$4) with sub\$space	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:00
L34	10	data\$base with (quer\$4 search\$4) with sub\$space not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:04
L35	4	data\$base near3 (quer\$4 search\$4) with sub\$space not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:04
L36	6	(quer\$4 search\$4) near (data\$store data\$space data\$base) and quer\$4 with attribute near2 (condition\$4 and display) not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:07

L37	3	(quer\$4 search\$4) near (data\$store data\$space data\$base) and quer\$4 with attribute near2 (condition\$4 and display) and space not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:08
L38	202	(quer\$4 search\$4) near (data\$store data\$space data\$base) with space	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:09
L39	92	(quer\$4 search\$4) near (data\$store data\$space data\$base) with space and attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:09
L40	0	(quer\$4 search\$4) near (data\$store) with space and attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:09
L41	91	(quer\$4 search\$4) near (data\$base) with space and attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:09
L42	42	(quer\$4) near (data\$base) with space and attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:10
L43	79	(quer\$4) near (data\$base) and search\$4 with space with data\$base and attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:10
L44	33	(quer\$4) near (data\$base) and search\$4 near space with data\$base and attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:10
L45	9	(quer\$4) near (data\$base) and search\$4 near3 space near3 data\$base and attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:10
L46	7	(quer\$4) near (data\$base) and search\$4 near3 space near3 data\$base and attribute not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:19
L47	2	(quer\$4) near (data\$base) and search\$4 near3 space near3 data\$base and attribute and defin\$4 with space not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:17

L48	1	(quer\$4) near (data\$base) and search\$4 near3 space near3 data\$base and attribute and defin\$4 near2 space not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:17
L49	3	(quer\$4) near (data\$base) and search\$4 near3 space near3 data\$base and attribute and (identif\$4 defin\$4) with space not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:19
L51	3	quer\$4 near3 (data\$store data\$space data\$base) and quer\$4 with attribute near2 (condition\$4 and display) and (sql "structured query language") not (ibm "international business").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:26
L55	2	("20020107838" "20020123984")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:34
L56	0	("20020107838" "20020123984") and attribut and (conver\$4 translats\$4 transfor\$4 chang\$4 replac\$4) with attribute with (condition\$4 and display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:35
L57	0	("20020107838" "20020123984") and attribut and (conver\$4 translats\$4 transfor\$4 chang\$4 replac\$4) same attribute same (condition\$4 and display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:35
L58	0	("20020107838" "20020123984") and attribut and (conver\$4 translats\$4 transfor\$4 chang\$4 replac\$4) same (condition\$4 and display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:50
L59	0	("20020107838" "20020123984") and program with product with code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 13:51
L60	0	("20020107838" "20020123984") and (program product) with (code instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 14:42
L61	1	("20020107838" "20020123984") and space	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 14:42
L62	0	("20020107838" "20020123984") and space with (result solution)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 14:43

L63	0	("20020107838" "20020123984") and space same (result solution)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/03 14:43
-----	---	---	---	----	----	------------------